

MS-6 Organotins in Sediment					
Year	2021	Number of Rounds / Year	2	Number of Materials	2
Distribution		April, October (25 laboratories expected)			
Participation fee		€625,=			

### Introduction

This study covers the determination of organotin compounds in marine sediment.

### Test Materials

The test materials cover a range of natural sediments from contaminated waters from the North Sea and/or Mediterranean. Each batch of material is prepared in bulk. The level of within and between sample homogeneity for the sediment is determined. All materials show to be homogeneous and stable for the purpose of the test.

### Determinands and Concentration Ranges

The organotin compounds to be determined are given in the table below.

The table also shows:

- The expected concentration range for the determinands in the test materials.
- The constant and proportional error that will be used for assessment of the results.

Determinand	Unit	Concentration Range	Error		AA-EQS
		Sediment	Const	Prop	
Tributyltin(TBT)	µg Sn/kg	1–5000	0.1	12.5%	
Dibutyltin(DBT)	µg Sn/kg	1–5000	0.1	12.5%	
Monobutyltin(MBT)	µg Sn/kg	1–5000	0.1	12.5%	
Triphenyltin(TPhT)	µg Sn/kg	0.1–200	0.1	12.5%	
Diphenyltin(DPhT)	µg Sn/kg	0.1–200	0.1	12.5%	
Monophenyltin(MPhT)	µg Sn/kg	0.1–200	0.1	12.5%	

Only determinands in **bold** are in the scope of the accreditation.