



QUASIMEME

Quality assurance of information
for marine environmental monitoring

Certificate of Analysis



Biota

REFERENCE MATERIAL

Biota sample 341



Certificate of Analysis Biota 341

General Information

In this report an overview is given of analytical data for this sample collected in our proficiency testing program. The consensus values are calculated using a robust statistical model. With this NDA model mean and standard deviation are calculated using all reported data when at least 4 results are left after removal of reported 'lower than' (<) and 0 (= zero) values. No outliers are removed.

This report is divided into two sections: Consensus Values and Indicative Values. The division is made on the reliability of the data. Consensus Values are based on at least 10 results while the relative uncertainty is smaller than 6.25%. Indicative Values are based on a relative uncertainty of maximum 35% with at least 4 and less than 10 results or a relative uncertainty higher than 6.25%.

For each determinand the following parameters are given: mean, standard deviation, coefficient of variation, number of results, median, MAD (Median of Absolute Deviation) and the uncertainty in the assigned value. The confidence limits (at 95 % probability) are calculated for these determinands.

The results of each determinand is expressed on a wet weight basis.

Sample information

QUASIMEME reference materials cover a range of natural Biota species from contaminated waters from the North Sea and/or Mediterranean. The supplied wet test materials are homogenised and sterilised by autoclaving.

This Biota sample 341 of Mussels from IJmuiden harbor, the Netherlands is prepared for the QUASIMEME proficiency programs. The results on which the values in this report are based were taken from the periods given in the following table.

Year.Round	Program	Sample Round Id
2015.2	BT4	QPH080BT
2015.1	BT2	QOR123BT
2015.1	BT4	QPH078BT



Consensus Values BT2

Method: Chlorinated organics - BT2

Element	Unit	Mean	Std.Dev.	CV %	N	Median	MAD	Uncertainty	95 % confidence limits		
PCB52	µg/kg	1.38	0.235	17.1	28	1.41	0.160	0.056	1.28	-	1.47
PCB101	µg/kg	2.12	0.301	14.2	29	2.19	0.207	0.070	2.00	-	2.23
PCB118	µg/kg	1.14	0.252	22.1	28	1.14	0.167	0.059	1.04	-	1.24
PCB138	µg/kg	2.13	0.447	21.0	24	2.06	0.285	0.114	1.94	-	2.32
PCB153	µg/kg	3.82	0.650	17.0	29	3.80	0.439	0.151	3.57	-	4.07
PCB180	µg/kg	0.324	0.0752	23.2	25	0.327	0.0510	0.0188	0.293	-	0.355

Method: Lipids - BT2

Element	Unit	Mean	Std.Dev.	CV %	N	Median	MAD	Uncertainty	95 % confidence limits		
Total-Lipid	%	2.82	0.230	8.2	15	2.83	0.160	0.074	2.69	-	2.95
Extractable-Lipid	%	2.73	0.253	9.3	13	2.74	0.170	0.088	2.58	-	2.88



Indicative Values BT2

Method: Chlorinated organics - BT2

Element	Unit	Mean	Std.Dev.	CV %	N	Median	MAD	Uncertainty	95 % confidence limits	
PCB28	µg/kg	0.499	0.1621	32.5	24	0.515	0.1120	0.0414	0.431	- 0.568
PCB31	µg/kg	0.319	0.0937	29.4	13	0.340	0.0690	0.0325	0.263	- 0.375
PCB105	µg/kg	0.264	0.0832	31.5	17	0.260	0.0600	0.0252	0.221	- 0.306
PCB138+PCB163	µg/kg	2.21	0.826	37.4	7	2.24	0.563	0.390	1.47	- 2.95
PCB156	µg/kg	0.116	0.0222	19.2	12	0.124	0.0125	0.0080	0.102	- 0.130
a-HCH	µg/kg	0.0173	0.0142	81.8	11	0.0210	0.0110	0.0053	0.0079	- 0.0267
b-HCH	µg/kg	0.0424	0.0216	50.8	12	0.0494	0.0155	0.0078	0.0289	- 0.0560
g-HCH	µg/kg	0.0710	0.0356	50.1	12	0.0745	0.0235	0.0128	0.0486	- 0.0934
HCB	µg/kg	0.0658	0.0341	51.8	19	0.0634	0.0234	0.0098	0.0494	- 0.0822
Dieldrin	µg/kg	0.262	0.0188	7.2	6	0.266	0.0145	0.0096	0.243	- 0.281
pp'-DDD	µg/kg	0.777	0.1849	23.8	21	0.759	0.1280	0.0504	0.693	- 0.860
pp'-DDE	µg/kg	0.969	0.2705	27.9	25	0.925	0.1890	0.0676	0.858	- 1.08
Transnonachlor	µg/kg	0.0432	0.0139	32.2	9	0.0500	0.0100	0.0058	0.0327	- 0.0537



Consensus Values BT4

Method: Polycyclic aromatic hydrocarbons - BT4

Element	Unit	Mean	Std.Dev.	CV %	N	Median	MAD	Uncertainty	95 % confidence limits		
Benzo[a]anthracene	µg/kg	17.1	3.06	17.9	52	17.2	2.09	0.53	16.3	-	18.0
Benzo[a]pyrene	µg/kg	4.04	1.045	25.9	50	4.26	0.708	0.185	3.74	-	4.34
Benzo[b]fluoranthene	µg/kg	8.67	1.676	19.3	43	9.00	1.151	0.320	8.16	-	9.19
Benzo[e]pyrene	µg/kg	12.2	2.53	20.7	23	12.3	1.80	0.66	11.1	-	13.3
Benzo[g,h,i]perylene	µg/kg	2.40	0.594	24.8	41	2.35	0.405	0.116	2.21	-	2.59
Benzo[k]fluoranthene	µg/kg	3.78	1.003	26.6	42	3.83	0.699	0.193	3.46	-	4.09
Chrysene	µg/kg	14.1	2.97	21.0	42	14.2	2.03	0.57	13.2	-	15.1
Fluoranthene	µg/kg	27.8	3.55	12.8	46	28.1	2.40	0.65	26.7	-	28.8
Indeno[1,2,3-cd]pyrene	µg/kg	1.39	0.324	23.3	37	1.40	0.230	0.067	1.28	-	1.50
Naphthalene	µg/kg	1.88	0.450	24.0	27	2.01	0.320	0.108	1.70	-	2.05
Phenanthrene	µg/kg	18.1	4.00	22.1	44	17.9	2.77	0.75	16.9	-	19.3
Pyrene	µg/kg	39.0	6.69	17.2	43	38.9	4.47	1.28	36.9	-	41.1
2-methylnaphthalene	µg/kg	3.15	0.496	15.7	11	3.25	0.350	0.187	2.82	-	3.48

Method: Lipids - BT4

Element	Unit	Mean	Std.Dev.	CV %	N	Median	MAD	Uncertainty	95 % confidence limits		
Total-Lipid	%	2.73	0.448	16.4	18	2.71	0.315	0.132	2.51	-	2.95



Indicative Values BT4

Method: Polycyclic aromatic hydrocarbons - BT4

Element	Unit	Mean	Std.Dev.	CV %	N	Median	MAD	Uncertainty	95 % confidence limits		
Acenaphthene	µg/kg	1.30	0.657	50.6	27	1.49	0.480	0.158	1.04	-	1.56
Acenaphthylene	µg/kg	0.844	0.9049	107.3	19	1.220	0.7220	0.2595	0.409	-	1.28
Anthracene	µg/kg	2.20	0.712	32.3	38	2.42	0.490	0.144	1.97	-	2.44
Benzo[a]fluorene	µg/kg	8.31	1.328	16.0	5	8.30	0.950	0.743	6.79	-	9.84
Chrysene + Triphenylene	µg/kg	20.7	5.93	28.6	15	21.8	4.26	1.91	17.4	-	23.9
Dibenz[ah]anthracene	µg/kg	0.515	0.2658	51.6	30	0.596	0.1825	0.0607	0.416	-	0.614
Dibenzothiophene	µg/kg	2.00	1.084	54.2	15	2.21	0.751	0.350	1.40	-	2.60
Fluorene	µg/kg	3.58	1.370	38.3	33	3.60	0.950	0.298	3.10	-	4.07
Perylene	µg/kg	1.85	0.369	19.9	12	1.87	0.245	0.133	1.62	-	2.09
Triphenylene	µg/kg	9.41	2.549	27.1	7	9.72	1.835	1.204	7.13	-	11.7
1-methylnaphtalene	µg/kg	2.90	0.933	32.2	10	2.96	0.673	0.369	2.24	-	3.56
2-methylphenanthrene	µg/kg	23.0	6.00	26.1	12	21.6	4.17	2.16	19.2	-	26.8
3-6-dimethylphenanthrene	µg/kg	13.6	4.27	31.5	7	14.6	2.87	2.02	9.75	-	17.4
C1-phenanthrenes/anthracenes	µg/kg	90.9	10.13	11.1	7	91.8	7.78	4.79	81.8	-	99.9
C2-phenanthrenes/anthracenes	µg/kg	174	46.3	26.6	8	161	30.3	20.5	137	-	212
C1-pyrenes/fluoranthenes	µg/kg	61.0	23.56	38.6	6	60.4	16.85	12.02	37.5	-	84.6
C1-chrysenes	µg/kg	18.8	3.48	18.5	5	19.5	2.67	1.95	14.8	-	22.8

Method: Lipids - BT4

Element	Unit	Mean	Std.Dev.	CV %	N	Median	MAD	Uncertainty	95 % confidence limits		
Extractable-Lipid	%	2.68	0.242	9.1	8	2.64	0.165	0.107	2.48	-	2.87