

QUASIMEME

Quality assurance of information for marine environmental monitoring

Certificate of Analysis



DSP shellfish toxins

REFERENCE MATERIAL
BT11 sample 34





Certificate of Analysis BT11 34

General Information

In this report an overview is given of analytical data for this sample collected in our proficiency testing program. The consensus values are calculated using a robust statistical model. With this NDA model mean and standard deviation are calculated using all reported data when at least 4 results are left after removal of reported 'lower than' (<) and 0 (= zero) values. No outliers are removed.

This report is divided into two sections: Consensus Values and Indicative Values. The division is made on the reliability of the data. Consensus Values are based on at least 10 results while the relative uncertainty is smaller than 6.25%. Indicative Values are based on a relative uncertainty of maximum 35% with at least 4 and less than 10 results or a relative uncertainty higher than 6.25%.

For each determinand the following parameters are given: mean, standard deviation, coefficient of variation, number of results, median, MAD (Median of Absolute Deviation) and the uncertainty in the assigned value. The confidence limits (at 95 % probabilty) are calculated for these determinands.

The results of each determinand is expressed on a wet weight basis.

Sample information

QUASIMEME reference materials cover a range of natural Shellfish toxins species from contaminated waters from the North Sea and/or Mediterranean.

This BT11 sample 34 of Mussels (Mytilus edulis) from CEFAS, Weymouth is prepared for the QUASIMEME proficiency programs. The results on which the values in this report are based were taken from the periods given in the following table.

Year.Round	Program	Sample
		Round Id
2023.2	BT11	QST346BT







Method: Toxins(SF) - BT11

Element	Unit	Mean	Std.Dev.	CV %	N	Median	MAD	Uncertainty	95 % confidence limits		
free-Okadaic-Acid	μg/kg	67.6	10.69	15.8	36	66.5	5.87	2.23	63.9	-	71.2
Total-free-OA+DTX1+DTX2	μg OA eq./kg	69.4	11.51	16.6	29	68.1	5.90	2.67	65.1	-	73.8
Total-Okadaic-Acid	μg/kg	181	48.1	26.6	36	188	23.8	10.0	165	-	197
Total-hy-OA+DTX1+DTX2	μg OA eq./kg	187	48.9	26.1	33	191	26.1	10.6	170	-	205
Total OA group + PTX group	μg OA eq./kg	199	36.7	18.5	17	200	17.5	11.1	180	-	218







Method: Toxins(SF) - BT11

Element	Unit	Mean	Std.Dev.	CV %	N	Median	MAD	Uncertainty	95 % confidence limits		
Total-DTX1	μg/kg	-	-	-	4	10.0	5.0	-		-	
Total-DTX2	μg/kg	-	-	-	4	10.0	5.0	-		-	
AZA-1	μg/kg	9.84	3.223	32.8	23	10.60	1.900	0.840	8.45 -	11.2	
AZA-2	μg/kg	4.20	1.622	38.6	17	4.73	1.030	0.492	3.37 -	5.03	
AZA-3	μg/kg	3.65	1.556	42.7	14	3.78	0.995	0.520	2.75 -	4.54	
AZA-total	μg AZA eq./kg	19.8	6.57	33.2	25	21.8	3.41	1.64	17.1 -	22.5	